

List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
<b>P100s – general, consumer products only</b>		
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read carefully and follow all instructions.	Omit where P202 is used. <i>GHS only, Rev 8: Omit where P203 is used</i>

Code	P Statement Text	Notes
<b>P200s – Prevention</b>		
P201	Obtain special instructions before use.	If used on consumer products – omit where P202 is used
P202	Do not handle until all safety precautions have been read and understood.	
<i>(GHS only, Rev 8)</i> P203	<i>(GHS only, Rev 8)</i> Obtain, read and follow all safety instructions before use.	<i>(Replaces P201 and P202 in GHS Rev 8)</i>
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P211	Do not spray on an open flame or other ignition source.	
P212	Avoid heating under confinement or reduction of the desensitising agent.	
P220	Keep away from clothing and other combustible materials.	
P222	Do not allow contact with air.	<i>If emphasis of the hazard statement is deemed necessary.</i>
P223	Do not allow contact with water.	<i>If emphasis of the hazard statement is deemed necessary.</i>
P230	Keep wetted with ...	<i>For substances and mixtures which are wetted, diluted, dissolved or suspended with a phlegmatizer in order to reduce or suppress their explosive properties Manufacturer to specify appropriate material.</i>
P231	Handle and store contents under inert gas/...	Pyrophoric liquids or solids Category 1: <i>Manufacturer / supplier to specify appropriate liquid or gas if "inert gas" is not appropriate.</i> Substances and mixtures which, in contact with water, emit flammable gases: <i>If the substance or mixture reacts readily with moisture in air. Manufacturer / supplier to specify appropriate liquid or gas if "inert gas" is not appropriate. 1, 2, 3</i>
P231 + P232	Handle and store contents under inert gas/... Protect from moisture.	Pyrophoric liquids Category 1 ... Manufacturer/supplier to specify the appropriate liquid or gas if 'inert gas' is not appropriate. Pyrophoric solids Category 1 Substances and mixtures which, in contact with water, emit flammable gases <sup>1, 2, 3</sup> if the substance or mixture reacts readily with moisture in air. ... Manufacturer/supplier to specify appropriate liquid or gas if 'inert gas' is not appropriate.

List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
<b>P200s – Prevention</b>		
P233	Keep container tightly closed.	Flammable Liquids Categories 1,2, 3: <i>if the liquid is volatile and may generate an explosive atmosphere.</i> Acute toxicity inhalation Categories 1,2,3; and STOS SE respiratory tract irritation Category 3; and STOT SE narcotic effects Category 3: <i>if the chemical is volatile and may generate a hazardous atmosphere.</i>
P234	Keep only in original packaging.	
P235	Keep cool.	<i>Flammable liquids 1, 2, 3 for flammable liquids Category 1 and other flammable liquids that are volatile and may generate an explosive atmosphere</i> <i>Self-reactive substances and mixtures Types A, B, C, D, E, F</i> <i>may be omitted if P411 is given on the label</i> <i>Self-heating substances and mixtures 1, 2</i> <i>may be omitted if P413 is given on the label</i> <i>Organic peroxides Types A, B, C, D, E, F</i> <i>may be omitted if P411 is given on the label</i>
P240	Ground and bond container and receiving equipment.	Explosives divisions 1.1, 1.2, 1.3, 1.4, 1.5: <i>If the explosive is electrostatically sensitive.</i> Flammable liquids Cats 1,2,3: <i>If the liquid is volatile and may generate an explosive atmosphere.</i> Flammable solids Cats 1,2: <i>If the solid is electrostatically sensitive.</i> Self reactive substances and mixtures A, B, C, D, E, F: <i>If electrostatically sensitive and able to generate and explosive atmosphere.</i> Organic peroxides Types A, B, C, D, E, F: <i>If electrostatically sensitive and able to generate and explosive atmosphere.</i>
P241	Use explosion-proof [electrical/ventilating/lighting/...] equipment.	Flammable liquids Cats 1,2,3: <i>If the liquid is volatile and may generate and explosive atmosphere. Text in square brackets may be used to specify specific electrical ventilating, lighting or other equipment if necessary and as appropriate.</i> Flammable solids Cats 1,2: <i>if dust clouds can occur. Text in square brackets may be used to specify specific electrical ventilating, lighting or other equipment if necessary and as appropriate.</i>
P242	Use non-sparking tools.	<i>Flammable liquids Categories 1, 2, 3</i> <i>If the liquid is volatile and may generate an explosive atmosphere and if the minimum ignition energy is very low. (This applies to substances and mixtures where the ignition energy is &lt;0.1 mJ, e.g. carbon disulphide).</i>

# List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
<b>P200s – Prevention</b>		
P243	Take action to prevent static discharges.	<i>Flammable liquids Categories 1, 2, 3 If the liquid is volatile and may generate an explosive atmosphere.</i>
P244	Keep valves and fittings free from oil and grease.	
P250	Do not subject to grinding/ shock/friction/... .	Unstable explosives and explosives divisions 1.1, 1.2, 1.3, 1.4, 1.5: <i>if the explosive is mechanically sensitive. .... Manufacturer/ supplier to specify applicable rough handling.</i>
P251	Do not pierce or burn, even after use.	
P260	Do not breathe dust/fume/ gas/mist/vapours/spray.	Acute toxicity — inhalation Categories 1, 2 Specific target organ toxicity — single exposure Categories 1, 2 Specific target organ toxicity — repeated exposure Categories 1, 2 <i>Manufacturer/supplier to specify applicable conditions.</i> Skin corrosion Categories 1A, 1B, 1C Reproductive toxicity — effects on or via lactation, additional category <i>Specify do not breathe dusts or mists. if inhalable particles of dusts or mists may occur during use.</i>
P261	Avoid breathing dust/fume/ gas/mist/vapours/spray.	Acute toxicity — inhalation Categories 3, 4 Respiratory sensitisation Categories 1, 1A, 1B Skin sensitisation Categories 1, 1A, 1B Specific target organ toxicity — single exposure; respiratory tract irritation Category 3 Specific target organ toxicity — single exposure; narcotic effects Category 3 <i>May be omitted if P260 is given on label. Manufacturer/supplier to specify applicable conditions.</i>
P262	Do not get in eyes, on skin, or on clothing.	
P263	Avoid contact during pregnancy and while nursing.	
P264	Wash ... thoroughly after handling.	Acute toxicity — oral Categories 1, 2, 3, 4 Acute toxicity — dermal Categories 1, 2 Skin corrosion Categories 1A, 1B, 1C Skin irritation Category 2 Eye irritation Category 2 Reproductive toxicity — effects on or via lactation Additional category Specific target organ toxicity — single exposure Categories 1, 2 Specific target organ toxicity — repeated exposure Category 1 <i>Manufacturer/supplier to specify parts of the body to be washed after handling.</i>
P270	Do not eat, drink or smoke when using this product.	

List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
<b>P200s – Prevention</b>		
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	Hazardous to the aquatic environment — acute aquatic hazard 1 ( <i>GHS only 2, 3</i> ) and long-term aquatic hazards 1, 2, 3, 4 <i>if this is not the intended use.</i>
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...	Unstable explosives and explosives divisions 1.1, 1.2, 1.3,1.4,1.5, and; Desensitised explosives cats 1,2,3,4 Flammable liquids cats 1,2,3, and; <i>Flammable solids, cats 1, 2, and;</i> Self reactive substances and mixtures A, B, C, D, E, F, and; Pyrophoric solids and liquids, and; Self Heating substances and mixtures categories 1, 2 , and; Substances and mixtures which, in contact with water, emit flammable gases, and; Oxidising liquids, cats 1,2,3, and; Oxidising solids, cats 1,2,3, and; Organic peroxides Types A, B, C, D, E, F: <i>Manufacturer/supplier to specify type of equipment.</i> Acute toxicity, dermal Categories 1,2,3 and 4: <i>specify protective gloves/clothing. Manufacturer/supplier may further specify type of equipment where appropriate.</i> Skin corrosion 1, 1A, 1B, 1C: <i>specify protective gloves/ clothing and eye/face protection. Manufacturer/supplier may further specify type of equipment where appropriate.</i> Skin irritation cat 2, and Skin Sensitisation cats 1, 1A, 1B: <i>specify protective gloves. Manufacturer/supplier may further specify type of equipment where appropriate.</i> Serious eye damage Cat. 1 , Eye irritation Cat. 2: <i>Specify eye/face protection. Manufacturer/supplier may further specify type of equipment where appropriate.</i> Germ cell mutagenicity (cats 1A, 1B, 2)and; Carcinogenicity, (cats 1A, 1B, 2) and; Reproductive toxicity (cats 1A, 1B,2): <i>Manufacturer/supplier to specify type of equipment.</i>
P282	Wear cold insulating gloves and either face shield or eye protection.	
P283	Wear fire resistant or flame retardant clothing.	

## List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
<b>P200s – Prevention</b>		
P284	[In case of inadequate ventilation] wear respiratory protection.	Acute toxicity – inhalation Categories 1, 2 and Respiratory sensitization 1, 1A, 1B – <i>text in square brackets may be used if additional information is provided with the chemical at the point of use that explains what type of ventilation would be adequate for safe use.</i> <i>Manufacturer/supplier to specify equipment.</i>

List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
<b>P300s - Response</b>		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE/doctor/...	<i>Acute toxicity — oral Cats. 1, 2, 3 Aspiration hazard Cat. 1 Manufacturer/ supplier to specify the appropriate source of emergency medical advice</i>
P301+P312	IF SWALLOWED: Call a POISON CENTRE/doctor/.../if you feel unwell.	<i>Acute toxicity — oral Cat. 4 "... Manufacturer/ supplier to specify the appropriate source of emergency medical advice."</i>
<i>(GHS only, Rev 8) P301+ P316</i>	<i>(GHS only, Rev 8) IF SWALLOWED: Get emergency medical help immediately.</i>	<i>(GHS only, Rev 8) Competent Authority or manufacturer / supplier may add, 'Call' followed by the appropriate emergency telephone number, or the appropriate emergency medical help provider, for example, a Poison Centre, Emergency Centre or Doctor</i>
<i>(GHS only, Rev 8) P301+ P317</i>	<i>(GHS only, Rev 8) IF SWALLOWED: Get medical help.</i>	
P301 + P330 + P331	IF SWALLOWED: Immediately call a POISON CENTRE/doctor/... Do NOT induce vomiting.	<i>Applies to Skin Corr 1/1A/1B/1C, H314.</i>
P302+P334	IF ON SKIN: Immerse in cool water or wrap in wet bandages.	Pyrophoric liquids Cat. 1
P302 + P335 + P334	IF ON SKIN: Brush off loose particles from skin. Immerse in cool water [or wrap in wet bandages].	<i>Text in square brackets to be used for pyrophoric solids. Only use "immerse in cold water" for substances and mixtures which, in contact with water, emit flammable gases, text in square brackets should not be use.</i>
P302+P352	IF ON SKIN: Wash with plenty of water/...	<i>Acute toxicity — dermal Cats. 1, 2, 3, 4 Skin irritation Cats. 2 Skin sensitisation Cats. 1, 1A, 1B Manufacturer/ supplier may specify a cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate</i>
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	<i>Text in square brackets to be included where the manufacturer/ supplier considers it appropriate for the specific chemical.</i>
<i>(GHS only, Rev 8) P303 + P361 + P353</i>	<i>(GHS only, Rev 8) IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].</i>	<i>(GHS only, Rev 8) Text in square brackets to be included where the manufacturer/supplier or the competent authority considers it appropriate for the specific chemical.</i>
<i>(GHS only) P304 + P312</i>	<i>(GHS only) IF INHALED: Call a POISON CENTER/doctor/.../if you feel unwell.</i>	<i>(Removed from GHS Rev 8)</i>
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	

List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
<b>P300s - Response</b>		
<i>(GHS only, Rev 8)</i> P305 + P354 + P338	<i>(GHS only, Rev 8)</i> IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P306+P360	IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.	
P308+P311	IF exposed or concerned: Call a POISON CENTRE/doctor/...	Specific target organ toxicity — single exposure Cats. 1, 2 <i>Manufacturer/ supplier to specify the appropriate source of emergency medical advice</i>
P308+P313	IF exposed or concerned: Get medical advice/attention.	
<i>(GHS only, Rev 8)</i> P308+P316	<i>(GHS only, Rev 8)</i> IF exposed or concerned: Get emergency medical help immediately.	<i>(GHS only, Rev 8)</i> Competent Authority or manufacturer / supplier may add, 'Call' followed by the appropriate emergency telephone number, or the appropriate emergency medical help provider, for example, a Poison Centre, Emergency Centre or Doctor.
P310	Immediately call a POISON CENTRE/doctor/...	Acute toxicity — oral Cats.1, 2, 3 Acute toxicity — dermal Cats.1, 2 Acute toxicity — inhalation Cats.1, 2 Skin corrosion Cats.1A, 1B, 1C Serious eye damage/eye irritation Cat.1 Aspiration hazardCat.1 <i>...Manufacturer/supplier to specify the appropriate source of emergency medical advice.</i>
P311	Call a POISON CENTRE/doctor/...	Acute toxicity — inhalation Cat.3 Respiratory sensitisation Cats.1, 1A, 1B Specific target organ toxicity — single exposure Cats. 1, 2 <i>...Manufacturer/supplier to specify the appropriate source of emergency medical advice.</i>
P312	Call a POISON CENTRE/doctor/... if you feel unwell.	Acute toxicity — oral Cat.4 Acute toxicity — dermal Cats.3, 4 Acute toxicity — inhalation Cat. 4 Specific target organ toxicity — single exposure; respiratory tract irritation Cat. 3 Specific target organ toxicity — single exposure; narcotic effects Cat. 3 <i>...Manufacturer/supplier to specify the appropriate source of emergency medical advice.</i>
P314	Get medical advice/attention if you feel unwell.	
P315	Get immediate medical advice/attention.	

List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
<b>P300s - Response</b>		
(GHS only, Rev 8) P316	(GHS only, Rev 8) Get emergency medical help immediately.	
(GHS only, Rev 8) P317	(GHS only, Rev 8) Get medical help.	
(GHS only, Rev 8) P318	(GHS only, Rev 8) IF exposed or concerned, get medical advice	
(GHS only, Rev 8) P319	(GHS only, Rev 8) Get medical help if you feel unwell.	
P320	Specific treatment is urgent (see ... on this label).	If immediate administration of antidote is required. .... reference to supplemental first aid instruction.
P321	Specific treatment (see ....on this label).	Acute oral toxicity cats 1, 2,& 3: if immediate administration of antidote is required. "... " means reference to supplemental first aid instruction. Acute dermal toxicity, cats 1, 2, 3 & 4: if immediate measure such as specific cleansing agent are advised. "... " means reference to supplemental first aid instruction. Acute inhalation toxicity, cat 1: if immediate specific measures are required. "... " means reference to supplemental first aid instruction. Skin Corrosion (cat 1, 1A, 1B, 1C), and; Skin irritation, and; Skin sensitisation: "... " means reference to supplemental first aid instruction. Manufacturer/ supplier may specify a cleansing agent if appropriate. Specific Target Organ Toxicity, SE: if immediate measures are required " "... " means reference to supplemental first aid instruction.
P330	Rinse mouth.	
P331	Do NOT induce vomiting.	Applies to H304 (and H305)
P332+P313	If skin irritation occurs: Get medical advice/attention.	May be omitted when P333 + P313 is given on the label.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P336 + P315	Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTRE/doctor/...	Manufacturer/ supplier to specify the appropriate source of emergency medical advice
(GHS only, Rev 8) P342+P316	(GHS only, Rev 8) If experiencing respiratory symptoms: Get emergency medical help immediately.	Competent Authority or manufacturer / supplier may add, 'Call' followed by the appropriate emergency telephone number, or the appropriate emergency medical help provider, for example, a Poison Centre, Emergency Centre or Doctor.
P361 + P364	Take off immediately all contaminated clothing and wash it before reuse.	



## List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
<b>P300s - Response</b>		
P362 + P364	Take off contaminated clothing and wash it before reuse.	
P363	Wash contaminated clothing before reuse.	
P370 + P372 + P380 + P373	In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives.	<i>Except for explosives of division 1.4 (compatibility group S) in transport packaging</i>
P370+P376	In case of fire: Stop leak if safe to do so.	
P370+P378	In case of fire: Use... to extinguish.	<i>If water increases risk: ... Manufacturer/supplier to specify appropriate media.</i>
P370+P380+P375	In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.	<i>For explosives of division 1.4 (compatibility group S) in transport packaging, and desensitized explosives cat 1,2,3</i>
P370 + P380 + P375 + [P378]	In case of fire: Evacuate area. Fight fire remotely due to risk of explosion. [Use ... to extinguish].	<i>Text in square brackets to be used if water increases risk. .... Manufacturer/supplier to specify appropriate media.</i>
P371+P380+P375	In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.	
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely.	
P381	In case of leakage, eliminate all ignition sources.	
P390	Absorb spillage to prevent material damage.	
P391	Collect spillage.	

# List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
<b>P400s Storage</b>		
P401	Store in accordance with ...	<i>Unstable explosives and Divisions 1.1, 1.2, 1.3, 1.4, 1.5 and Desensitised explosives 1,2,3,4 Manufacturer/ supplier to specify local/regional/ national/ international regulations as applicable.</i>
P402+P404	Store in a dry place. Store in a closed container.	
P403	Store in a well-ventilated place.	<i>Flammable liquids cats 1,2, 3: For flammable liquids Cat 1 and other flammable liquids that are volatile and may generate an explosive atmosphere. Self reactive substances and mixtures; and Organic Peroxides types A, B, C, D ,E, F: except for temperature controlled self-reactive substance and mixtures or organic peroxides because condensation and consequent freezing may take place. Acute toxicity (inhalation) cat 1,2,3; and STOT SE3 respiratory irritation and narcotic effects: if the substance or mixture is volatile and may generate a hazardous atmosphere.</i>
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	<i>If the substance or mixture is volatile and may generate a hazardous atmosphere.</i>
P403+P235	Store in a well-ventilated place. Keep cool.	<i>For flammable liquids cat 1 and other flammable liquids that are volatile and may generate an explosive atmosphere.</i>
P405	Store locked up.	
P406	Store in corrosion resistant/...container with a resistant inner liner.	<i>May be omitted if P234 is given on the label. .... Manufacturer/ supplier to specify other compatible materials.</i>
P407	Maintain air gap between stacks or pallets.	
P410	Protect from sunlight.	
P410+P403	Protect from sunlight. Store in a well-ventilated place.	<i>P410 may be omitted for gases filled in transportable gas cylinders in accordance with packaging instruction P200 of the UN RTDG Model Regulations, unless those gases are subject to (slow) decomposition or polymerisation.</i>
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	<i>Manufacturer/ supplier to use applicable temperature scale.</i>
P411	Store at temperatures not exceeding...°C/...°F.	<i>If temperature control is required (according to Annex I, Section 2.8.2.4 or 2.1.5.3) or if otherwise deemed necessary. .... Manufacturer/ supplier to specify temperature using the applicable temperature scale.</i>
P412	Do not expose to temperatures exceeding 50 °C/122 °F.	<i>Manufacturer/ supplier to use applicable temperature scale.</i>
P413	Store bulk masses greater than...kg/...lbs at temperatures not exceeding...°C/...°F.	<i>Manufacturer/ supplier to specify mass and temperature using applicable scale.</i>
P420	Store separately.	

## List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
<b>P500s Disposal</b>		
P501	Dispose of contents/container to...	<i>... in accordance with local/ regional/ national/ international regulation (to be specified). Manufacturer/supplier to specify whether disposal requirements apply to contents, container, or both.</i>
P502	Refer to manufacturer or supplier for information on recovery or recycling	<i>only refers to H420</i>
P503	Refer to manufacturer/supplier... for information on disposal/recovery/recycling	only refers to unstable explosives or explosives divisions 1.1 to 1.5

Note on meaning of "cool" for P statements (thanks to Mark Selby of Denehurst Chemical Safety):

"Cool" P-statements are only used for materials releasing flammable vapours, self heating materials, organic peroxides or similar hazards.

Usually, ambient is interpreted as being 20 °C, and maximum working temperature is assumed to be 40 °C through the EU.

This theoretically means "cool" should be below 20 °C. However, you do need to base your definition on what the product behavior is, for example if the boiling point of a solvent is less than this, then "cool" should be lower than your boiling point.

Note that if you are defining "cool" just to extend the shelf life, and not to reduce hazards, then this should not be included on the SDS (unless you note that it is purely for shelf life, e.g. in section 16), and should not appear on the CLP part of the label, although it can appear on the non-CLP part of a label.

List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
<b>P Statements only used in combination - can be made into other combinations, not currently used alone</b>		
P232	Protect from moisture.	Substances and mixtures which, in contact with water, emit flammable gases 1, 2, 3
P301	IF SWALLOWED:	Acute toxicity — oral Cats.1, 2, 3, 4 Skin corrosion Cats.1, 1A, 1B, 1C Aspiration Hazard Cat.1
P302	IF ON SKIN:	Pyrophoric liquids and solids Cat.1 Substances and mixtures which, in contact with water, emit flammable gases Categories 1, 2 Acute Toxicity, dermal Cats1, 2, 3, 4 Skin irritation Cat.2 Skin sensitisation Cats 1, 1A, 1B
P303	IF ON SKIN (or hair):	Flammable liquids Cats 1, 2, 3 Skin corrosion Cats 1A, 1B, 1C
P304	IF INHALED:	Acute toxicity — inhalation Cats 1, 2, 3, 4 Skin corrosion Cats 1A, 1B, 1C Respiratory sensitization Cats 1, 1A, 1B Specific target organ toxicity — single exposure; respiratory tract irritation Cat.3 Specific target organ toxicity — single exposure; narcosis Cat.3
P305	IF IN EYES:	Skin corrosion Cats.1A, 1B, 1C Serious eye damage/eye irritation Cat.1 Eye irritation Cat.2
P306	IF ON CLOTHING:	Oxidising liquids and solids Cat 1
P308	IF exposed or concerned:	<i>Germ cell mutagenicity and Carcinogenicity and Reproductive toxicity 1A, 1B, 2</i> <i>Reproductive toxicity — effects on or via lactation Additional category</i> <i>Specific target organ toxicity, single exposure Cats.1, 2</i>
P313	Get medical advice/attention.	<i>Skin irritation Cats.2, 3</i> <i>Eye irritation Cat.2</i> <i>Skin sensitization and Germ cell mutagenicity and Carcinogenicity and Reproductive toxicity Cats.1A, 1B, 2</i> <i>Reproductive toxicity — effects on or via lactation Additional category</i>
P332	If skin irritation occurs:	<i>May be omitted if P333 is given on the label.</i>
P333	If skin irritation or rash occurs:	
P334	Immerse in cool water [or wrap in wet bandages].	
P335	Brush off loose particles from skin.	
P336	Thaw frosted parts with lukewarm water. Do not rub affected area.	
P337	If eye irritation persists:	
P338	Remove contact lenses, if present and easy to do. Continue rinsing.	
P340	Remove person to fresh air and keep comfortable for breathing.	
P342	If experiencing respiratory symptoms:	
P351	Rinse cautiously with water for several minutes.	
P352	Wash with plenty of water/...	

## List of GHS/CLP P statements to 12<sup>th</sup> ATP, and GHS Rev 8, January 2020

Format © TT Environmental Ltd, 2011-2020.

Code	P Statement Text	Notes
P353	Rinse skin with water [or shower].	
<i>(GHS only, Rev 8) P353</i>	<i>(GHS only, Rev 8) Rinse affected areas with water [or shower].</i>	<i>(GHS only, Rev 8) Text in square brackets to be included where the manufacturer/supplier or the competent authority considers it appropriate for the specific chemical.</i>
<i>(GHS only, Rev 8) P354</i>	<i>(GHS only, Rev 8) Immediately rinse with water for several minutes.</i>	
P360	Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.	
P361	Take off immediately all contaminated clothing.	
P362	Take off contaminated clothing.	
P364	And wash it before reuse.	
P370	In case of fire:	
P371	In case of major fire and large quantities:	
P372	Explosion risk.	Explosives division 1.4: <i>except for explosives of division 1.4, (compatibility group S) in transport packaging.</i>
P373	DO NOT fight fire when fire reaches explosives.	Explosives division 1.4: <i>except for explosives of division 1.4, (compatibility group S) in transport packaging.</i>
P375	Fight fire remotely due to the risk of explosion.	<i>For explosives of division 1.4 (compatibility group S) in transport packaging.</i>
P376	Stop leak if safe to do so.	
P378	Use... to extinguish.	If water increases risk: <i>... manufacturer/supplier to specify appropriate media</i>
P380	Evacuate area.	
P402	Store in a dry place.	<i>Substances and mixtures which, in contact with water, emit flammable gases Cats. 1, 2, 3</i>
P404	Store in a closed container.	